INTERNATIONAL JOURNAL OF PHARMACEUTICS

VOL. 85 NO. 1–3 CONTENTS 20 SEPTEMBER 1992

Announcement from the Publisher v

Research Papers

The effect of some natural polymers on the solubility and dissolution characteristics of nifedipine
F. Acartürk, Ö. Kışlal and N. Çelebi (Turkey) 1

Influence of various penetration enhancers on the in vitro permeation of amino acids across hairless mouse skin
A. Ruland and J. Kreuter (Germany) 7

Improvement of the formation percentage of water-in-oil-in-water multiple emulsion by the addition of surfactants in the internal aqueous phase of the emulsion
T. Ohwaki, K. Nitta, H. Ozawa, Y. Kawashima, T. Hino, H. Takeuchi and T. Niwa (Japan) 19

Preparation of a novel type of controlled-release carrier and evaluation of drug release from the matrix tablet and its physical properties
S. Aoki, T. Ohwaki, K. Uesugi, K. Tatsuishi, H. Ozawa and M. Kayano (Japan) 29

Disulfide bond cleavage of human serum albumin and alterations of its secondary structure by *cis*-diamminedichloroplatinum(II)
N. Ohta, T. Yotsuyanagi, D. Chen, R. Ono, S. Ito and K. Ikeda (Japan) 39

Investigation of the bioavailability of codeine from a cation ion-exchange sulfonic acid. 1. Effect of parameters
J.A. Plaizier-Vercammen (Belgium) 45

Evaluation of hyaluronan as a vehicle for peptide growth factors
P.T. Prisell, O. Camber, J. Hiselius and G. Norstedt (Sweden) 51

Dissolution of diclofenac sodium from matrix tablets
M.-T. Sheu, H.-L. Chou, C.-C. Kao, C.-H. Liu and T.D. Sokoloski (Taiwan, ROC, USA) 57

Evaluation of the correlation between in vivo and in vitro release of phenylpropanolamine HCl from controlled-release tablets
S. Aoki, K. Uesugi, K. Tatsuishi, H. Ozawa and M. Kayano (Japan) 65

Pharmacokinetics of receptor-mediated hepatic uptake of glycosylated albumin in mice
M. Nishikawa, Y. Ohtsubo, J. Ohno, T. Fujita, Y. Koyama, F. Yamashita, M. Hashida and H. Sezaki (Japan) 75

Glass formation of 4″-*O*-(4-methoxyphenyl)acetyltylosin and physicochemical stability of the amorphous solid
T. Yamaguchi, M. Nishimura, R. Okamoto, T. Takeuchi and K. Yamamoto (Japan) 87

Liposomes with clindamycin hydrochloride in the therapy of Acne vulgaris
N. Škalko, M. Čajkovac and I. Jalšenjak (Croatia) 97

Influence of fat composition on the melting behaviour and on the in vitro release of indomethacin suppositories
C. De Muynck and J.P. Remon (Belgium) 103

Study on the release of indomethacin from suppositories: in vitro-in vivo correlation
G. Lootvoet, E. Beyssac, G.K. Shiu, J.-M. Aiache and W.A. Ritschel (France, USA) 113

Consolidation and compaction of powder mixtures: III. Binary mixtures of different particle size fractions of different types of crystalline lactose
K.A. Riepma, K. Zuurman, G.K. Bolhuis, A.H. De Boer and C.F. Lerk (Netherlands) 121

(Contents continued on p. 220)

© 1992 Elsevier Science Publishers B.V. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher, Elsevier Science Publishers B.V., Copyright + Permissions Department, P.O. Box 521, 1000 AM Amsterdam, The Netherlands.

Special regulations for readers in the U.S.A. This journal has been registered with the copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, U.S.A. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1980 may be copied for a per-copy fee of US $2.25, also payable through the Center. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permissior must be obtained from the publisher for such copying.

Special regulations for authors. Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

Cited in: Current Contents (Life Sciences; Clinical Practice); International Pharmaceutical Abstracts; Biological Abstracts; Chemical Abstracts; Excerpta Medica EMBASE; PASCAL M; Science Citation Index; Current Awareness in Biological Sciences

Printed in The Netherlands

INTERNATIONAL JOURNAL OF PHARMACEUTICS

VOL. 85 NO. 1–3 CONTENTS 20 SEPTEMBER 1992

Announcement from the Publisher v

Research Papers

The effect of some natural polymers on the solubility and dissolution characteristics of nifedipine
F. Acartürk, Ö. Kışlal and N. Çelebi (Turkey) 1

Influence of various penetration enhancers on the in vitro permeation of amino acids across hairless mouse skin
A. Ruland and J. Kreuter (Germany) 7

Improvement of the formation percentage of water-in-oil-in-water multiple emulsion by the addition of surfactants in the internal aqueous phase of the emulsion
T. Ohwaki, K. Nitta, H. Ozawa, Y. Kawashima, T. Hino, H. Takeuchi and T. Niwa (Japan) 19

Preparation of a novel type of controlled-release carrier and evaluation of drug release from the matrix tablet and its physical properties
S. Aoki, T. Ohwaki, K. Uesugi, K. Tatsuishi, H. Ozawa and M. Kayano (Japan) 29

Disulfide bond cleavage of human serum albumin and alterations of its secondary structure by *cis*-diamminedichloroplatinum(II)
N. Ohta, T. Yotsuyanagi, D. Chen, R. Ono, S. Ito and K. Ikeda (Japan) 39

Investigation of the bioavailability of codeine from a cation ion-exchange sulfonic acid. 1. Effect of parameters
J.A. Plaizier-Vercammen (Belgium) 45

Evaluation of hyaluronan as a vehicle for peptide growth factors
P.T. Prisell, O. Camber, J. Hiselius and G. Norstedt (Sweden) 51

Dissolution of diclofenac sodium from matrix tablets
M.-T. Sheu, H.-L. Chou, C.-C. Kao, C.-H. Liu and T.D. Sokoloski (Taiwan, ROC, USA) 57

Evaluation of the correlation between in vivo and in vitro release of phenylpropanolamine HCl from controlled-release tablets
S. Aoki, K. Uesugi, K. Tatsuishi, H. Ozawa and M. Kayano (Japan) 65

Pharmacokinetics of receptor-mediated hepatic uptake of glycosylated albumin in mice
M. Nishikawa, Y. Ohtsubo, J. Ohno, T. Fujita, Y. Koyama, F. Yamashita, M. Hashida and H. Sezaki (Japan) 75

Glass formation of 4″-*O*-(4-methoxyphenyl)acetyltylosin and physicochemical stability of the amorphous solid
T. Yamaguchi, M. Nishimura, R. Okamoto, T. Takeuchi and K. Yamamoto (Japan) 87

Liposomes with clindamycin hydrochloride in the therapy of Acne vulgaris
N. Škalko, M. Čajkovac and I. Jalšenjak (Croatia) 97

Influence of fat composition on the melting behaviour and on the in vitro release of indomethacin suppositories
C. De Muynck and J.P. Remon (Belgium) 103

Study on the release of indomethacin from suppositories: in vitro-in vivo correlation
G. Lootvoet, E. Beyssac, G.K. Shiu, J.-M. Aiache and W.A. Ritschel (France, USA) 113

Consolidation and compaction of powder mixtures: III. Binary mixtures of different particle size fractions of different types of crystalline lactose
K.A. Riepma, K. Zuurman, G.K. Bolhuis, A.H. De Boer and C.F. Lerk (Netherlands) 121

(Contents continued on p. 220)

© 1992 Elsevier Science Publishers B.V. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher, Elsevier Science Publishers B.V., Copyright + Permissions Department, P.O. Box 521, 1000 AM Amsterdam, The Netherlands.

Special regulations for readers in the U.S.A. This journal has been registered with the copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, U.S.A. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1980 may be copied for a per-copy fee of US $2.25, also payable through the Center. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permissior must be obtained from the publisher for such copying.

Special regulations for authors. Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

Cited in: Current Contents (Life Sciences; Clinical Practice); International Pharmaceutical Abstracts; Biological Abstracts; Chemical Abstracts; Excerpta Medica EMBASE; PASCAL M; Science Citation Index; Current Awareness in Biological Sciences

Printed in The Netherlands

(Contents continued from back cover)

Mechanisms of penetration enhancement for transbuccal delivery of salicylic acid
R. Gandhi and J. Robinson (USA) 129
Hydrophilic matrices for the extended release of a model drug exhibiting pH-dependent solubility
P. Giunchedi, U. Conte, L. Maggi and A. La Manna (Italy) 141
Phase transition and heterogeneous/epitaxial nucleation of hydrated and anhydrous theophylline crystals
N. Rodríguez-Hornedo, D. Lechuga-Ballesteros and H.-J. Wu (USA) 149
Diffuse reflectance infrared Fourier transform spectroscopy for the quantitative analysis of mixtures of polymorphs
K.J. Hartauer, E.S. Miller and J.K. Guillory (USA) 163
Improvement of oral bioavailability of carbamazepine by inclusion in 2-hydroxypropyl-β-cyclodextrin
S. Choudhury and K.F. Nelson (USA) 175
Characterization of the oral absorption of several aminopenicillins:. Determination of intrinsic membrane absorption parameters in the rat intestine in situ
D.-M. Oh, P.J. Sinko and G.L. Amidon (USA) 181
Synthesis of methotrexate-dimyristoylphosphatidylethanolamine analogs and characterization of methotrexate release in vitro
A.S. Williams, W.G. Love and B.D. Williams (UK) 189
Bioactivity of a series of substituted *N*-(3-phenyl-2-propenylidene)benzeneamines: a microcalorimetric study
M.L.C. Montanari, A.E. Beezer, J.B.P. Sandal and C.A. Montanari (UK, Brazil) 199
Pentamidine isethionate delivery from jet nebulisers
K.M.G. Taylor, G. Venthoye and A. Chawla (UK) 203

Note
Bioavailability of sulphamethoxazole-trimethoprim spheroidal granules
G.C. Athanassiou, D.M. Rekkas and N.H. Choulis (Greece) 209

Book Reviews 213

Author Index 217

Noticeboard 219

Rapid Communications
Release kinetics of flurbiprofen from hydrophobic heterogeneous matrices containing surfactants
M. Efentakis (Greece) R1
Immunogenicity studies on diphtheria toxoid loaded biodegradable microspheres
M. Singh, O. Singh, A. Singh and G.P. Talwar (India) R5